




### CONTENTS

| ACCESSORIES                | 06 |
|----------------------------|----|
| WINDSHIELDS & REAR PANELS  | 08 |
| DOORS                      | 10 |
| ROOFS                      | 12 |
| VEHICLE & RIDER PROTECTION | 13 |
| STORAGE                    | 14 |
| CAB COMFORT                | 16 |
| HUNT                       | 18 |
| POLARIS NORTHSTAR COOLERS  | 20 |
| RIDE COMMAND 8 AUDIO       | 22 |
| LIGHTING                   | 24 |
| WHEELS & TIRES             | 26 |
| WINCHES                    | 34 |
| PLOWS & TRACKS             | 35 |

| PARTS & GARAGE            | 36 |
|---------------------------|----|
| MAINTENANCE               | 36 |
| OIL & LUBRICANTS          | 38 |
| SERVICE PARTS             | 40 |
| HD PARTS                  | 42 |
| VEHICLE CARE & TRAILERING | 44 |
|                           |    |
| APPAREL & HELMETS         | 46 |
| OUTERWEAR & PROTECTION    | 46 |
| LIFESTYLE APPAREL & CAPS  | 52 |
| CAMO & GIFTS              | 54 |
|                           |    |



## **KEEP YOUR** STANDARDS HIGH. WE DO.







WE HOLD OUR PARTNERS TO THE SAME STANDARDS



vou ride with 100% confidence.

WHEELS, TIRES & LIGHTING DESIGNED WITH POLARIS TO MAXIMIZE PERFORMANCE



A GLOBAL LEADER IN AUDIO INNOVATION, DESIGN & ENGINEERING




PRODUCTS SO GOOD THEY REPLACE OR REPAIR THEM FOR LIFE



MAKING PRODUCTS FOR AVID

designed your vehicle.

## ENGINEERED TO TAKE ON





**BLAZE A NEW** TRAIL

Sport Roof - Poly: P. 12

Pro Armor Wheel & Tire Set: P. 33 29" Mud XC & 14" Shackle - Matte Black

Winch: P. 34

LOCK & RIDE Vented Windshield - Hard Coat Poly: P. 08

LOCK & RIDE Cargo Box: P. 15

PREPARE FOR THE HUNT

LOCK & RIDE Full Windshield - Glass: P. 08 (NOTSHOWN)

Windshield Wiper & Washer System: P. 08 [NOT SHOWN]

Pro Armor 33" Combo LED Light Bar: P. 25 (NOT SHOWN)

Polaris Pulse LED Light Bar Harness: P. 16 NOT SHOWN

LOCK & RIDE Rear Panel - Glass: P. 09

In addition to stock accessories

GENERAL

Premium Roof - Poly: P. 12

LOCK & RIDE Full Windshield - Glass: P. 08

SPORT

**ESSENTIALS** 

Windshield Wiper & Washer System: P. 08 LOCK & RIDE Rear Panel - Glass: P. 09

Polaris Northstar 30 QT Cooler: P. 20

XL Fender Flares: P. 13 NOT SHOWN

RIGID SR-Series Combo Light Bar: P. 25

4-Seat Extreme Kick-Out Rock Sliders: P. 13

Light Bar Harness: P. 25

Rear Sport Bumper: P. 13

LOCK & RIDE Bed Extender: P. 14

Polaris Northstar 30 QT Cooler: P. 20

LOCK & RIDE Spare Tire Carrier: P. 14


Pro Armor 33" Combo LED Light Bar: P. 25

## **WINDSHIELDS**

Keep the elements out and control air flow into the cab.



- Superior optical clarity
- Scratch resistant
- Curved to fit, seals tight
- Cold weather / heavy dutyWiper ready (windshield only)



Lightweight, flexible, easy to store/remove

- Impact-resistant
- · Tight seal keeps out rain and dust
- Hard Coat: 30x more scratch resistance



**POLY** 

HALF WINDSHIELD -

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

POLY


» 2881111

LOCK & RIDE REVOLUTIONARY INSTALLATION



AIRTIGHT **GASKET SEAL** 

#### **GLASS** HARD COAT POLY



TIP-OUT WINDSHIELD - GLASS TOP SELLER

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

FULL WINDSHIELD -GLASS TOP SELLER

NEW

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

VENTED WINDSHIELD -HARD COAT POLY

» 2884223

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

FLIP-DOWN WINDSHIELD -HARD COAT POLY

» 2889156

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21





Offers fully-sealed or flipped-down venting options. Upper half detaches, leaving lower half for protection with

## REAR **PANELS**

Turbulent air forms above the cargo bed and behind the cab when you add a windshield. This swirl can carry dirt, dust, leaves, and rain into the cab. Eliminate this phenomenon and control the swirl by installing a rear panel.



REAR PANEL - GLASS TOP SELLER

FULL WINDSHIELD -HARD COAT POLY

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

» 2884337

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



REAR PANEL - POLY

» 2881112

POLARIS GENERAL XP 1000/4 '20-21



ADD A REAR PANEL TO REDUCE THE DUST SWIRL

**DOORS** 

**COMPLETE YOUR CAB. POLARIS GENERAL comes equipped with** half doors. To create an enclosed cab for increased protection from the elements, choose from two great Polaris options.



### • Impact and scratch-resistant tempered glass

- Fully-sealed design keeps elements out for
- a premium in-cab environment
- Hinged window adjustability

REPLACE STOCK HALF DOORS

**PREMIUM POLY** 

**FULL DOORS** 

• Soft-touch, easy-to-clean premium

2-SEAT

- Six-way glass window adjustability
- » 2883717

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

- » 2883082

POLARIS GENERAL 4 1000 '17-21

#### 4-SEAT

- Kit includes B-pillar cover seal

POLARIS GENERAL XP 4 1000 '20-21

POLARIS ENGINEERED ADVANTAGES





**A PERFECT FIT FOR THE PERFECT SEAL** 

#### **ZIP WINDOW UPPER DOORS**

ADD UPPER DOORS TO STOCK HALF DOORS

- Durable, rugged canvas stitched over a robust steel frame
- · Lightweight, UV-resistant construction
- Retention straps for increased strength
- · Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

2-SEAT

» 2882548 POLARIS GENERAL XP 1000 '20-21

4-SEAT

» 2883453

POLARIS GENERAL 1000 '18-21

**VEHICLE & RIDER PROTECTION** 


Arm your POLARIS GENERAL with Polaris Engineered bumpers and providing added protection for lights, bodywork and suspension.



A PERFECT **FIT FOR THE PERFECT** 

ROOFS

Protect yourself from the elements. The right roof shields you from the sun and driving rain.



**PREMIUM FEATURES 8** QUIETER



**POLARIS ENGINEERED ADVANTAGES** 

### **ALUMINUM S POLY**

- High protection strength
- · Lower profile Sleek style
- Water run-off
- · Pre-existing mounting features
- · Liner ready
- Lightweight

#### 2-SEAT

#### **ROOF - ALUMINUM**

#### » 2881105

POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21

### PREMIUM ROOF - POLY

#### » 2883800

POLARIS GENERAL XP 1000 '20-21



INCLUDES PREMIUM

#### SPORT ROOF - POLY

#### » 2883780

POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21

### 4-SEAT

#### PREMIUM ROOF - POLY

POLARIS GENERAL XP 4 1000 '20-21



INCLUDES

SPORT ROOF - POLY

#### » 2883781

POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21

#### POLY ROOF LINER

POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21 Compatible with Sport Roof - Poly

## BUMPERS MOTSHOWN

### SPORT

#### » 2884345

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

#### ROCK SLIDERS NOT SHOWN

#### » 2880171

#### LOW PROFILE

#### » 2881102

POLARIS GENERAL 1000 '16-21

#### EXTREME KICK-OUT

#### » 2-SEAT • 2881101

POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21

#### » 4-SEAT • 2881992

POLARIS GENERAL XP 4 1000 '20-21

HMW A-ARM

FRONT

» 2880274

'20-21

REAR

GUARDS NOT SHOWN

POLARIS GENERAL 1000/4

### **FENDER FLARES**

#### XL TOP SELLER

#### » 2884220

### POLARIS GENERAL XP 1000/4

#### POLARIS GENERAL 1000/4 '16-21 POLARIS GENERAL XP 1000/4

Not compatible with Low Profile Rock Sliders REAR

#### » 2884222

POLARIS GENERAL XP 1000/4 '20-21

FRONT

» 2884221

#### HIGH CLEARANCE A-ARM GUARDS

## **BUMPERS**

#### A SPORT LOW PROFILE

#### » 2881094

FRONT

POLARIS GENERAL XP 1000/4 POLARIS GENERAL 1000/4 '16-21

#### ®SPORT UPPER

#### » 2881525

POLARIS GENERAL XP 1000/4 POLARIS GENERAL 1000/4 '16-21 Requires Sport Low Profile Front Bumper









TOUGH EXPANSION ANCHOR MOUNTS DESIGNED FOR POLARIS GENERAL ALLOW FOR QUICK **INSTALL OF ROCK SLIDERS AND BUMPERS** WITHOUT DAMAGING THE VEHICLE'S FRAME



LOCK & RIDE

REVOLUTIONARY INSTALLATION





STORAGE

» 2885114

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

KOLPIN STRONGHOLD MOUNT - REAR BED STORAGE RACK BED EXTENDER

CARGO BED MAT



TIP-DOWN HEADACHE RACK

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

» 2882144

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



REAR BED STORAGE RACK

POLARIS GENERAL XP 1000/4 '20 POLARIS GENERAL 1000/4 '16-21

See P. 18 for more info

» 2885113

SPARE TIRE CARRIER

#### » 2881529

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21 FITS WHEEL UP TO 30"



### BEHIND SEAT STORAGE BAG

#### » 2882164

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



### IN-DASH STORAGE BAG

#### » 2882165

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



#### » 2881527

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21 Includes all mounting hardware for secure installation

### D-RINGS

#### » 2881545

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21


## NOTSHOWN FIRE EXTINGUISHER HOLDER

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21 Fits most 8.25 cm fire extinguishers (not included)











## CAB COMFORT



8-VENT HEATER & DEFROST SYSTEM TOP SELLER

PULSE Bestical System

» 2881316

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

Not Compatible with Rockford Fosgate Stage 4 Audio Kits

Audio Bracket (2885112) required to install heater on vehicles with Ride Command and audio,



WINDSHIELD WIPER & WASHER SYSTEM TOP SELLER

PULSE

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

See P. 08 for windshields



#### CONVEX REAR VIEW MIRROR

#### » 2881540

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



#### FLOOR MATS

#### » 2881934

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21







- Red light is great for
- Green light is perfect for



PULSE Bectrical System MULTI-FUNCTION CAB LIGHT

• LED dome light provides · Battery-operated, white, red, green and blue lighting options

Remove to use as flashlight in and

#### » 2884047

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21



#### POLARIS PULSE LED LIGHT BAR HARNESS

· Required to easily add electric components


POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21

#### POLARIS ENGINEERED **ADVANTAGES**

## MADE EASY WITH PLUG & PLAY



- Look for <sup>™™</sup> to identify Polaris PULSE ready accessories.
- To install accessories, simply plug the harness into the Polaris PULSE hub
- · No need to remove nuts and stack wire terminals like a three-post terminal setup
- By plugging in your accessories, a secure connection is guaranteed every time



HUNT **OUTDOORS** 

#### **STORAGE**



#### LOCK & RIDE FALLAVAILABILITY REAR BED

STORAGE RACK

- Take more gear with 2 Kolpin Stronghold XL mounts and integrated MOLLE panels
- 30 or 60 Qt. Polaris Coolers will still fit in bed with rack installed
- » 2885113 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

### LOCK & RIDE FALLAVAILABILITY

- KOLPIN STRONGHOLD MOUNT - REAR BED STORAGE RACK
- Kolpin Stronghold mount for attaching gun boots or other Kolpin Stronghold items to a General Rear Rack
- » 2885114

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

#### KOLPIN STRONGHOLD CASES

**PROTECTING** 

**ESSENTIAL** 

**GEAR SINCE** 

YOUR

1943



KOLPIN STRONGHOLD GUN BOOTS

» XL TRANSPORT • 2882430\*

POLARIS GENERAL XP 1000/4 '20-21

» L IMPACT • 2882426\*

POLARIS GENERAL XP 1000/4 '20-21



THE R. P.

KOLPIN STRONGHOLD AUTO-LATCH MOUNT

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



GENERAL

KOLPIN STRONGHOLD POP-UP BLIND/ICE AUGER BOOT

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

\*REQUIRES AUTO-LATCH MOUNT (2883970 OR 2884106)

RHINO GRIP PRO

» 2884107

POLARIS GENERAL XP 1000/4 '20-21

KOLPIN RHINO GRIPS IDEAL FOR BOWS & UNCASED GUNS



RATCHETING RHINO GRIP

» 2881575

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



» 2881574 • SINGLE

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



» 2889204

NEW

POLARIS GENERAL XP 1000/4 '20-21, POLARIS GENERAL 1000/4 '16-21

HEAVY-DUTY XLR REPLACEMENT RUBBER STRAPS (2)

#### LOCK & RIDE

RHINO GRIP XLR - DOUBLES

» 2884108


POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



RHINO GRIP PRO **RUBBER STRAPS** 

» 2884109

POLARIS GENERAL XP 1000/4 '20-21,





## GRIZZLY TESTED. POLARIS APPROVED. This cooler is IGBC-approved, meaning it withstands the power expended by a typical grizzly bear if it was trying to get inside. Seriously, there are experts who know what a grizzly is capable of doing, and they certify

28, 57 & 99 LITER FEATURES















POLARIS NORTHSTAR COOLERS CAN SURVIVE JUST ABOUT ANYTHING -FROM EXTREME HEAT TO A NASTY TUMBLE OFF A VEHICLE.

our coolers can take it.



99 LITER

- » GRAPHITE 2883426
- » DESERT 2883392



**57 LITER** 

- » GRAPHITE 2883425
- » DESERT 2881259



28 LITER

- » GRAPHITE 2883424
- » DESERT 2881315



14 LITER

» GRAPHITE • 2883968




19 LITER SOFTSIDE

» GRAPHITE • 2883390

### **ESSENTIAL ACCESSORIES SO YOUR COOLER WORKS AS HARD AS YOU DO**

| COOLER ACCESSO | COOLER ACCESSORIES                       |  | 57 LITER   | 28 LITER   | DOI                          | N'T FORGET THESE ACCESS                           | ORIES                  |
|----------------|--|--|--|--|------------------------------|---|------------------------|
|                | WIRE BASKET                              | 2883648  | 2882185  | 2882438  | O modern                     | 0   |                        |
|                | <b>DIVIDERS</b> Doubles as cutting board | 2883468 COMES WITH ONE DIVIDER  1 way to partition | 2882184 COMES WITH TWO DIVIDERS  2 ways to partition | 2882186 COMES WITH ONE DIVIDER  1 way to partition | TUMBLERS  » 887 mL • 2883394 | LOCK & RIDE QUICKSTRAP » 2882187                  | BOTTLE OPENER  2882183 |
| 200            |  |  |  |  | » 591 mL • 2883393           | ALL COOLERS AND<br>POLARIS GENERAL<br>CARGO BOXES | ALL COOLERS            |
|                | SEAT CUSHION                             | NOT AVAILABLE                                      | 2882179  | 2882507  |                              |   |                        |
| 有<br>是<br>是    | WHEELS                                   | 2883967  | 2882180  | NOT AVAILABLE                                      |                              |   |                        |

## RIDECOMMAND



#### RIDE COMMAND 7" DISPLAY

- 7" High Bright Touchscreen visible
- Displays critical vehicle information for fuel level, coolant temp and battery voltage

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21

Media player with built in

» 2884072

- · Enhanced Group Ride capability
- Dedicated shortcut buttons for quick access to features
- Bluetooth and USB smart
- Front camera support for better

#### RIDE COMMAND

- Mount Ride Command seamlessly into
- the dash for perfect fit and finish Comes with wiring harnesses needed
- and accessory components
- · Includes front and rear camera, V2V.

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '20-21

#### AUDIO BRACKET

- Used to mount audio amplifier for front and rear speakers when subwoofer is removed
- Required to install a heater on a vehicle with Ride Command
- » 2885112

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '20-21

#### DOWNLOAD THE RIDE COMMAND **MOBILE APP**





## AUDIO













NO LOSS OF

An industry first. A true factory installed integrated off-road audio system. Rockford Fosgate partnered with Polaris to purpose build the highest performing system specifically for the GENERAL platform. Tuned and ridercentric to create a class leading audio experience that is second to none.



PÜLSE

### **AUDIO KIT**

- PMX-P2 HEAD UNIT & FRONT COAXIAL SPEAKERS
- 16.51 cm6.86 cm full color display with AM/FM/WB tuner\*, Pandora Control and Bluetooth Connectivity
- 50 Watt 16.51 cm front coaxial and arilles
- » 2884282

POLARIS GENERAL XP 1000/4 '20-21



#### AUDIO KIT+ REAR SPEAKERS

- REAR COAXIAL SPEAKERS & AMP
- 2. 50 Watt 16.51 cm rear coaxial speakers with enclosures and grilles
- 400 Watt 4-channel full range amplifier


PMX-P2

- IP67 Rating delivering water resistance and dust protection

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



#### STAGE 2 RIDE COMMAND AUDIO KIT+ **REAR SPEAKERS**



- 2, 50 Watt 16.51 cm front and rear coaxial
- speakers with enclosures and grilles • 400 Watt 4-channel full range amplifier
- IP67 Rating delivering water resistance and
- » 2885163

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

REQUIRES RIDE COMMAND 7" DISPLAY 2884072 & MOUNT KIT 2884283 (BOTH SOLD SEPARATELY)



#### STAGE 4 **UPGRADE**



- SUBWOOFER Compatible with Stage 1 and Stage 2 PMX-P2 Audio Kits
- 200 Watt 16.51 cm subwoof
- » 2889053

**RIDE COMMAND** 

STAGE 4

RIDE COMMAND

**AUDIO KIT** 

**RIDE COMMAND** 

+ STAGE 4 AUDIO

SYSTEM UPGRADE

**PACKAGE** 

**INSTALLED** 

**RIDE COMMAND** 

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

## **BUILD YOUR SOUND**



AUDIO:

STAGE 1 **AUDIO KIT** 

MODEL ETTMENT

ХP

INSTALLED STOCK AUDIO

STAGE 1 AUDIO KIT WITH PMX-P2

DELUXE

**HEAD UNIT** 

PMX HEAD UNIT +

FRONT COAXIAL SPEAKERS

**PREMIUM** STAGE 1 **AUDIO KIT** 

**SPORT** 

STAGE 2 + **REAR SPEAKERS** UPGRADE REAR SPEAKERS, AMP + **AUDIO BRACKET** 

**STAGE 2 + 4** 

**UPGRADES** 



NOT COMPATIBLE WITH 8-VENT HEATER & DEFROST SYSTEM (2881316)

2885162 OPTIONAL SUBWOOFER

> **SUBWOOFER** 2889053

**MOUNT KIT** 2884283

**STAGE 2 UPGRADE** 

**STAGE 4 UPGRADE** 

2889053

\*The FM Frequency range is from 88 to 108 and only on the odds (i.e. 88.1, 88.3, etc).

2885163

**SUBWOOFER** 

## POLARIS ENGINEERED ADVANTAGES

MOUNTS PERFECTLY

Designed for your Polaris Engineered bumper, roof or other mounting point

## Y MAX PERFORMANCE gineered Validated to work as hard as ing point your machine does

E DOESN'T OVERTAX

Trust it to work when you need it to

# PRO ARMOR.

#### ADVANCED TECH

RIGID lights are driven by Aluminum PCB Smart Boards, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac UV protection polyester powdercoating.

## EXCLUSIVE OPTICS

RIGID invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

#### LIGHT BAR TYPES



#### **SR-SERIES PRO**

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage. **Available in 25.4 cm 6 81.3 cm** 



#### **D-SERIES PRO**

Compact to fit almost anywhere with high output and low energy usage.

Available in Driving, Flood & Spot

#### RUGGED CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

#### MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.



#### **DUAL-ROW LED LIGHT BARS**

The most spread and farthest illumination downrange. Easy to mount.

Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm



#### SINGLE-ROW LED LIGHT BARS

Powerful, compact, low-profile light bars with sleek look.


Available in 27.9 cm, 83.8 cm & 101.6 cm



#### CUBE LED LIGHTS

Small size allows mounting in strategic locations for added lighting. **Available in Flood & Spot** 


#### LIGHT BAR OPTIONS



#### BUILD YOUR VISION

Consider the Optics, Angle 8 how you will use your vehicle to choose the right light or set of lights.

| OPTICS<br>Light angle  | ACCENT                                       | DRIVING<br>(45°)     | FLOOD<br>(25°)                           | SPOT<br>(10°)               | COMBO<br>(25°/10°)       |
|------------------------|--|----------------------|--|-----------------------------|--------------------------|
| DRIVING SPEED          | All  | Slow                 | Medium                                   | Fast                        | Medium to fast           |
| BEAM                   | Diffused glow                                | Extra-wide           | Wide/Shorter                             | Concentrated/Long           | Inner spot & outer flood |
| RECOMMENDED MOUNTING   | Low/Wheel well                               | All points           | Low 8/or rear                            | High points                 | All points               |
| TERRAIN & RIDING STYLE | Added style & personalization in any terrain | All riding & utility | Wide-open terrain<br>or trails & utility | Trail & tight<br>conditions | All riding & utility     |



#### ADD A HARNESS TO MOUNT YOUR LIGHTS

|                         | LIGHT BAR SET-UPS                                 |   |  |  |  |  |  |
|-------------------------|---|---|--|--|--|--|--|
| MODEL                   | 1 LIGHT IN<br>1 LOCATION ON<br>1 SWITCH           | 2 LIGHTS IN<br>2 LOCATIONS ON<br>1 SWITCH                                 | 2 LIGHTS IN<br>2 LOCATIONS ON<br>2 SWITCHES            |  |  |  |  |
| 2019-2020<br>All Models | POLARIS PULSE LED<br>LIGHT BAR HARNESS<br>2883785 | POLARIS PULSE LED<br>LIGHT BAR HARNESS<br>2883785<br>Y-HARNESS<br>2879860 | POLARIS PULSE LED<br>LIGHT BAR HARNESS (x2)<br>2883785 |  |  |  |  |

△ No battery connection cables required on any model/model year POLARIS GENERAL 1000.

▲ PULSE All RIGID and Pro Armor lights are Polaris PULSE ready.

### **ACCENT LIGHTING**



POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

| COLOR           | PN      |
|-----------------|---------|
| RED (SET OF 4)  | 2880500 |
| BLUE (SET OF 4) | 2880506 |

# SUPERTOR PERFORMANCE & DURABILITY

# WAYS TO SHOP WHEELS STIRES

TIRES BY SIZE

## PRO ARMOR

## PERFORMANCE

· Every tire is designed and constructed with longevity in mind

KNOW YOUR

**TERRAIN** 

· 3,000+ mile rated 4,828 kilometers)

### PREMIUM PROTECTION

- · Pro Armor makes tires with extra protection exactly where it's needed most-the sidewall
- · Triple-belted sidewalls keep your tires more resistant so you can keep going

#### TOUGHEST TIRES

- · Higher ply ratings mean added protection
- · Pro Armor builds 8 or 10-ply rated tires for higher puncture-resistance

**DIMENSIONS** 

#### 30" DUAL-THREAT CRAWLER XG MUD XC HARVESTER HARVESTER CRAWLER XR MUD XC ATTACK 2.0 ATTACK 2.0 HD-K HARVESTER CRAWLER XG CRAWLER XG

### **TIRES BY TERRAIN**

|    | TRAIL       | ROCK        | DESERT      | MÜD    | UTILITY   | 業<br>家NOW  |
|----|-------------|-------------|-------------|--------|-----------|------------|
| ١  | CRAWLER XR  | CRAWLER XR  | CRAWLER XR  | MUD XC | HARVESTER | ATTACK 2.0 |
| ì  | CRAWLER XG  | CRAWLER XG  | CRAWLER XG  |        | PRESERVE  | ATTACK     |
|    | мир хс      | DUAL-THREAT | ATTACK 2.0  |        | хр-к      | HARVESTER  |
| ì  | ATTACK 2.0  | ATTACK 2.0  | ATTACK      |        | нр-к      | XD-K       |
| •  | ATTACK      |             | DUAL-THREAT |        |           | нд-к       |
|    | DUAL-THREAT |             |             |        |           |            |
|    | HARVESTER   |             |             |        |           |            |
| Ą. | PRESERVE    |             |             |        |           |            |
|    | XD-K        |             |             |        |           |            |
|    | HD-K        |             |             |        |           |            |

### **KNOW YOUR TIRES**

| TIRE TIRE WHEEL HEIGHT WIDTH DIAMETE | R              | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|--------------------------------------|----------------|----------------|----------------|---------------|-------------------|----------------|
| <b>32" × 9" R15</b> Part Number      | FRONT/<br>REAR | 30 mm          | 18 kg          | 10            | 3                 | 499 kg         |

#### TREAD DEPTH

USAGE

Where can you

use the tire

Deeper treads have more grip in all conditions

#### PLY RATING Indicates tire puncture-resistance

LOAD RATING How much weight can the tire handle

**TIRE WEIGHT** A lighter tire makes for improved vehicle performance

### **SIDEWALL BELTS** Increase your

resistance to sidewall punctures

#### **WHEELS BY SIZE**

| 40-SERIES (7 TIRE OPTIONS) | 50-SERIES (6 TIRE OPTIONS) |
|----------------------------|----------------------------|
| 4201 (AMPLIFY)             | 5201 (CYCLONE)             |
| 4202 (BUCKLE)              | 5202 (FLARE)               |
| 4301 (COMBAT)              | 5301 (HALO)                |
| 4203 (REBLR)               | 5203 (HEXLR)               |
| 4204 (SHACKLE)             | 5204 (WYDE)                |
| 4205 (SIXR)                |                            |
| HD DUAL BEADLOCK           |                            |

### **KNOW YOUR WHEELS**

STEP 1: SELECT YOUR SERIES

4 = 40-SERIES 5 = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING

1 = <800 LBS 2 = 801 - 1,300 LBS 3 = 1,301 - 1,600+ LBS

STEP 3: PICK YOUR STYLE OFFSET / BEADLOCK / COLOR

**INCREASE OFFSET FROM STOCK = NARROWER STANCE** DECREASE OFFSET FROM STOCK = WIDER STANCE

TIRES







#### **PRO ARMOR CRAWLER XR**

- · Wanna race? This tire grips it all from the trail to the rocks
- · Square block profile for even surface contact
- · A tougher durometer than the XG to take on the toughest

|     |                                 |                | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAI<br>RATIN |
|-----|---------------------------------|----------------|----------------|----------------|---------------|-------------------|---------------|
| 14" | <b>28" * 10" R14</b><br>5415536 | FRONT/<br>REAR | 16 mm          | 15 kg          | 8             | 3                 | 517           |

**PRO ARMOR CRAWLER XG** 

FRONT/ REAR 20 mm

• A soft, sticky compound makes this tire ideal for both

· 8-ply, triple-belted ballistic sidewalls resist punctures

· Big or small, these tires crawl them all

rock crawling and desert running

30" × 10" R14

28" × 10" R15

30" × 10" R15

FRONT/REAR



## SINGLE DUROMETER

- Smaller lug height, added rigidity and lateral stability when cornering
- Unique lug design excels in hard-packed, fast terrain







WHEEL SIZE

14"

WHEEL SIZE

14"



- Taller lug height
- high-speed performance, durability and flex in order to grip slick rock



#### FRONT/REAR





- Perfect balance between



#### Engineered for excellent hard-pack performance • Dual-compound technology and radial construction offer

**PRO ARMOR ATTACK 2.0** 

- Tight thread pattern for a quieter ride

|     |                                 |        | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|-----|---------------------------------|--------|----------------|----------------|---------------|-------------------|----------------|
| 15" | <b>28" × 10" R15</b><br>5416344 | FRONT/ |                | 15 kg          | 10            | 3                 | 503 kg         |
| 15" | <b>30" × 10" R15</b><br>5416345 | REAR   |                | 17 kg          |               |                   | 560 kg         |

TIGHTER TREAD PATTERN =

**DUAL-DUROMETER LUG =** Increased grip & traction in rough terrain, smoother 10-PLY RATED =

LARGER SIZE OFFERING IN 28" = More ground clearance & trail traction

WHEEL SIZE

15'

FRONT/REAR

#### FRONT/REAR

#### **PRO ARMOR ATTACK**

- The best all-purpose tire for all-season traction in any terrain
- · Unique, full-face tread design
- · Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

|     |                                 |       | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|-----|---------------------------------|-------|----------------|----------------|---------------|-------------------|----------------|
| 14" | <b>26" × 9" R14</b><br>5415613  | FRONT | 23 mm          | 13 kg          | 8             | 3                 | 413 kg         |
| 14" | <b>26" × 11" R14</b><br>5415614 | REAR  |                | 15 kg          |               |                   | 599 kg         |









17 kg

15 kg

18 kg

PLY SIDEWALL RATING BELTS

581 kg

498 kr

**581** kg

#### **PRO ARMOR DUAL-THREAT**

- $\bullet$  Dual-compound technology and radial construction offer performance in all
- · Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration

| and | longer tread life               |       | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|-----|---------------------------------|-------|----------------|----------------|---------------|-------------------|----------------|
| 14" | <b>26" × 9" R14</b><br>5416340  | FRONT | REAR 16 mm     | 12 kg          | kg            |                   | 413 kg         |
| 14" | <b>26" * 11" R14</b><br>5416341 | REAR  |                | 14 kg          |               | 3                 | 499 kg         |
| 14" | <b>29" × 9" R14</b><br>5416342  | FRONT |                | 14 kg          | 10            |                   | 499 kg         |
| 14" | <b>29" × 11" R14</b><br>5416343 | REAR  |                | 16 kg          |               |                   | 599 kg         |

FRONT/REAR



**DUAL-COMPOUND** = MORE GRIP + LONGER LIFE



- Firmer Durometer Rubber = Longer Life
- Softer Durometer Rubber = More Grip

## PRO ARMOR MUD XC

- Designed for the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- · Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- · 10-ply construction, means added protection in the toughest terrain

|     |                                 |                | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|-----|---------------------------------|----------------|----------------|----------------|---------------|-------------------|----------------|
| 14- | <b>29" × 10" R14</b><br>5416946 | FRONT/<br>REAR |                | 18 kg          |               |                   | 630 kg         |
| 14" | <b>27" × 9" R14</b><br>5416947  | FRONT          | 30 mm          | 14 kg          | 10            | 3                 | <b>531</b> kg  |
| 14  | <b>27" × 11" R14</b><br>5416948 | REAR           |                | 15 kg          |               |                   | 599 kg         |







| UTILITY FEATURE   | HARVESTER          | PRESERVE | хо-к | но-к |  |
|---|--------------------|----------|------|------|--|
| 8,047 Kilometer Rated Long life and performance                                       | X                  | X        |      |      |  |
| 10-Ply Rated Higher ply ratings means added protection                                | X                  | X        | X    | X    |  |
| Low Impact Tread Easy on soil   |                    | X        |      |      |  |
| <b>Heavy Duty Tread</b> Aggressive tread pattern for all day work on farms or ranches | X                  |          | X    | X    |  |
| Turf-Friendly Easy on grass and farm yard   | X                  | X        |      |      |  |
| Aramid Fiber Belt 5x times stronger than steel and lighter                            |                    |          | X    | X    |  |
| Wide Range of Sizes For exactly how you want to use your machine                      | 30", 28", 27", 26" | 27", 26" | 26"  | 29"  |  |







#### **PRO ARMOR HARVESTER**

- · All-around work horse with tread life of 8047 km
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

|        |                                 |                | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|--------|---------------------------------|----------------|----------------|----------------|---------------|-------------------|----------------|
| 12"    | <b>26" × 8" R12</b><br>5416396  | FRONT          |                | 11 kg          |               |                   | 388 kg         |
| 12"    | <b>26" × 10" R12</b><br>5415966 | REAR           |                | 15 kg          |               |                   | <b>615</b> kg  |
| 14"    | <b>27" × 10" R14</b><br>5415965 | FRONT/<br>REAR | 16 mm          | 15 kg          | 10            | 3                 | 599 kg         |
| 14"    | <b>28" × 10" R14</b><br>5416347 | FRONT/<br>REAR |                | 15 kg          |               |                   | 630 kg         |
| NEW 15 | <b>30" × 10" R15</b><br>5417529 | FRONT/<br>REAR |                | 17 kg          |               |                   | 599 kg         |



FRONT/REAR







#### **PRO ARMOR XD-K**

- · 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promotes extended wear, increasing tire life

|      |                                 |       | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|------|---------------------------------|-------|----------------|----------------|---------------|-------------------|----------------|
| 12"  | <b>26" × 9" R12</b><br>5415756  | FRONT |                | 13 kg          | 10            | 3/1               | 388 kg         |
| 112. | <b>26" × 11" R12</b><br>5415757 | REAR  | 31.7 mm        | 15 kg          | 10            | Aramid            | 499 kg         |







#### FRONT/REAR

#### **PRO ARMOR PRESERVE**

- Turf-friendly for areas where low-impact from tire tread is needed
- Rounded profile and special tread pattern to limit footprint

|     |                                 |                | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|-----|---------------------------------|----------------|----------------|----------------|---------------|-------------------|----------------|
| 12" | <b>26" × 8" R12</b><br>5416403  | FRONT          |                | 11 kg          |               |                   | 388 kg         |
| 12" | <b>26" × 10" R12</b><br>5416402 | REAR           | 16 mm          | 13 kg          | 10            | 3                 | 599 kg         |
| 14" | <b>27" × 10" R14</b><br>5416348 | FRONT/<br>REAR |                | 13 kg          |               |                   | 599 kg         |











### NEW

#### **PRO ARMOR HD-K**

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple belted sidewall provides extreme sidewall protection and extends
- ${\boldsymbol{\cdot}}$  Quad belt tread core offers superior protection and longer tread life

|     |                                 |                | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|-----|---------------------------------|----------------|----------------|----------------|---------------|-------------------|----------------|
| 14" | <b>29" × 10" R14</b><br>5417507 | FRONT/<br>REAR | 31.75 mm       | 18 kg          | 10            | 3/1<br>Aramid     | 598 kg         |





## WHEELS





















15"



# 14"

#### 40-SERIES

#### △ 4201 (AMPLIFY) ○

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9 14" × 7" 1522956-266 14" × 8" 1522957-266 MATTE BLACK: FRONT 14" × 7" 1522956-458 14" × 8" 1522957-458

#### 9 4202 (BUCKLE) 0

WEIGHT: 5.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: -9 14" × 7" 1522544-266 ACCENT: MATTE BLACK: FRONT 14" × 7" 1522544-458 14" × 8" 1522545-458

#### **9** 4301 BEADLOCK (COMBAT)

WEIGHT: 7.3 kg | LOAD RATING: 729 kg | OFFSET: +38 ACCENT-FRONT/REAR 14" × 7" 1523284 MATTE BLACK: FRONT/REAR 14" × 7" 1523283

14" FORGED BEADLOCK RINGS

1523147-458

A Vondon Blue

White

Indy Red

Orange Crush

Matte Black -

Matte Black

Machined

#### • 4203 BEADLOCK (REBLR) •

FRONT **WEIGHT:** 5.9 kg **| LOAD RATING:** 408 kg **| OFFSET:**  $\pm 4$ REAR WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9 14" × 7" 1522238-458 MATTE BLACK: FRONT 14" × 8" 1522239-458

#### 9 4204 (SHACKLE) 0

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9 FRONT 14" × 7" 1522546-266 14" × 8" 1522547-266 MATTE BLACK: FRONT 14" × 8" 1522547-458

#### 4205 (SIXR) 0

FRONT WEIGHT: 4.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 5.7 kg | LOAD RATING: 590 kg | OFFSET: -9 MATTE BLACK: FRONT 14" × 7" 1521507-521 14" × 8" 1521508-521 14" × 7" 1521507-410 14" × 8" 1521508-410 FRONT

#### **6 HD DUAL BEADLOCK**

FRONT/REAR **WEIGHT:** 18.1 kg | **LOAD RATING:** 725.7 kg | **OFFSET:** +38 MATTE BLACK: FRONT/REAR 14" × 7" 1524022-458

### **50-SERIES**

#### **5201 (CYCLONE)**

**WEIGHT:** 7.8 kg | **LOAD RATING:** 590 kg | **OFFSET:** +4FRONT/REAR 15" × 7" 1523184-266 MATTE BLACK: FRONT/REAR 15" × 7" 1523184-458

#### 0 5301 BEADLOCK (HALO)

FRONT/REAR WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38 ACCENT: FRONT/REAR 15" × 7" 1523282 MATTE BLACK: FRONT/REAR 15" × 7" 1523266

#### **9 5204 (WYDE)** 0

**WEIGHT:** 6.1 kg | **LOAD RATING:** 590 kg | **OFFSET:** +55MATTE BLACK: FRONT/REAR 15" × 7" 1522550-458

#### **©** 5202 (FLARE)

WEIGHT: 8.1 kg | LOAD RATING: 590 kg | OFFSET: +4 FRONT/REAR 15" × 7" 1523102-266 **MATTE BLACK:** FRONT/REAR 15" × 7" 1523102-458

#### • 5203 BEADLOCK (HEXLR) •

WEIGHT: 7.3 kg | LOAD RATING: 590 kg | OFFSET: +38 MATTE BLACK: FRONT/REAR 15" × 7" 1522435-458

#### **O** LUG NUTS REQUIRED

#### 1522244-619 1522244-266 1522244-133 1522244-293 1522244-589 1523146-458 15" FORGED READLOCK RINGS

#### **KNOW YOUR WHEELS**

**STEP 1: SELECT YOUR SERIES** 4 = 40-SERIES 5 = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING 1 = <800 LBS 2 = 801 - 1.300 LBS 3 = 1.301 - 1.600+ LBS

> STEP 3: PICK YOUR STYLE OFFSET / BEADLOCK / COLOR


**INCREASE OFFSET FROM STOCK = NARROWER STANCE** DECREASE OFFSET FROM STOCK = WIDER STANCE

#### KNOW YOUR TERRAIN





## WHEEL & TIRE SETS





O LUG NUTS REQUIRED



## 12mm x 1.5 SPLINED 2204966

VALVE - 2 PACK » 2883293



COLBY COMBO VALVE KIT (16 PACK)

Includes 8 ultimate valves and

8 emergency valves

» 2883294

COLBY VALVE

SHORT LILTIMATE



INDIVIDUAL WHEELS & TIRES COMPLETE SETS AS LISTED

Exclusively at Polaris Authorized Dealers

## **PLOWS & TRACKS**

**GLACIER PRO HD GIVES YOU** 

**\*GLACIER** 問

CREATE YOUR PLOW SYSTEM

**POLARIS GENERAL** 

**POLARIS GENERAL** 

MODELS

XP 1000/4

'20-21

1000/4

16-21

» 183 cm or 168 cm Blades

STEP 3
SELECT A LIFT METHOD

Polaris PRO HD 2041 kg Winch

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21

POLARIS GENERAL 1000/4 '16-18

**Hydraulic Plow Controller** 

POLARIS GENERAL XP 1000/4 '20-21

**Hydraulic Plow Angle** 

WINCH

2883861

2885102

2883391

» Choice of poly or steel » Manual angle system standard



STEP 1 SELECT A MOUNT

MOUNT

\*GLACIER HD

STEP 2 SELECT A FRAME

FRAME

2880260



STEP 4 SELECT A BLADE

**BLADES** 

2880270

183 cm Steel

168 cm Poly

168 cm Steel

**GLACIER HD GIVES YOU** 

»168 cm Blades »Choice of poly or steel »Manual angle system standard

168 cm POLY BLADE BEST FOR CORROSION RESISTANCE

168 cm STEEL BLADE BEST FOR BIG JOBS YEAR AFTER YEAR

2880269

2880268



183 cm Blade Snow Deflector 2858541

168 cm Blade Snow Deflector 2879866

**183 cm HD Wear Bar** 2879875

**168 cm HD Wear Bar** 2879868

168 cm Blade Plow Shoe 2208864

Replacement T Shear Pin 2204829

Extension for Tracks 2880267

**Heavy Duty Deflector** 2884160

**DURABLE BLADES** 

SELECT ACCESSORIES

ACCESSORIES

Choose a steel blade for longevity and increased rigidity or a

lightweight non-stick, poly blade

that's easier on plowing surfaces.

183 cm Wear Bar 2204976

168 cm Wear Bar 2879867

Plow Marker 2872726

Shear Pin 2205527

STEP 5
SELECT ACCESSORIES

**ACCESSORIES** 



**BUILT TO WITHSTAND** 

-29°C TEMPERATURES

**MILITARY** 

**FEATURES** 

ALL POLARIS ENGINEERED

**WINCHES COME WITH:** 

TESTED **1,200+** PULLS AT MAX LOAD

WINCHES

OPERATES FULLY SUBMERGED

PRO HEAVY DUTY SERIES

I-IID HEAVY DUTY SERIES

**FAST WIRE CONNECTION TO POLARIS PULSE SYSTEM** 

**HOOK WITH STRAP** 



**CUT STEEL GEARS & SEALED DRIVETRAIN** 



SEALED PERMANENT MAGNET MOTOR





NOT AVATI ARI F



Stops winch at end of pull to prevent

driveline stress and plow overlifting

2. Set Dial to PULL (L) for Winch Mode 3. Set Dial to ROPE RECOVERY (H)







WITH ALUMINUM FAIRLEAD

WITH STEEL ROLLER FAIRLEAD

ADD SYNTHETIC ROPE

2879187




- · Lightweight & Easy to Handle • Superior Flexibility & Strength
- 15 m Long









| MODEL   |  |
|---------|--|
| IVIODEL |  |

**POLARIS GENERAL XP 1000/4** '20-21 POLARIS GENERAL 1000/4 '19-21

2883861

2883860

2041 kg

# '16-21

CREATE YOUR PLOW SYSTEM

**POLARIS GENERAL** 

MODELS

XP 1000/4

'20-21

1000/4

### 2882927 Polaris HD 2041 kg Winch

FRAME

**POLARIS GENERAL** 

MOUNT

## POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21

STEP 3
SELECT A LIFT METHOD

**WINCHES** 

2880269 168 cm Steel

168 cm Poly

BLADES

168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726

168 cm Plow Shoe 2208864 Shear Pin 2205527

Replacement T Shear Pin 2204829

168 cm Blade Snow Deflector 2879866

#### PROSPECTOR PRO TRACK MOUNTS

Install in place of tires and wheels. Tracks sold separately.

» 2880649

» 2885117 POLARIS GENERAL XP 1000/4 '20-21

AND FAIL AVAILABILITY

PROSPECTOR PRO TRACK

#### » 2880758

POLARIS GENERAL 1000/4 '16-21 If using Glacier Pro Plow System, Track Plow Extension is required (2880267)



POLARIS GENERAL 1000/4 '16-21

POLARIS ENGINEERS PARTS THAT PUSH THE

LIMITS WITHOUT SACRIFICING STRENGTH

## **MAINTENANCE**

#### **BREAK-IN PERIOD**

The break-in period for your new GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine.

NOTICE: Excessive heat build-up during the first three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first three hours of use

#### **AIR FILTERS**

FOR THE LIFE OF YOUR RIDE

flow to the engine leading to reduced engine performance engine life or catastrophic failure.

Maintaining and/or replacing brakes are critical to the safety and functionally of a vehicle. Brake pads should be checked for wear and oil or grease (petroleum products) contamination and brake discs should be checked for cracks, excessive corrosion or warping.

#### HALF SHAFT

that can contribute to axle failure.

A cloqued air filter can restrict air

#### **BRAKE PADS**

Check for tear and punctures in the boot which can lead to CV joint wear

#### **DRIVE BELTS**

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

- Use lower gear (if available) while varying speeds and avoiding wide open throttle for 8-16 km
- · If no low gear is available, vary at moderate speeds while avoiding wide open throttle for 80 km

#### **OUR INVESTMENT**

- · 32,187 km of field testing
- · Thousands of dyno hours
- · 18+ months of development (3,000+ design hours) per belt
- · 1200+ vehicle validation hours
- Collaboration with powertrain & clutch engineers

#### YOUR ADVANTAGE

- · No clutch recalibration
- · Less wear & tear due to heat
- · Fnsure maximum vehicle
- performance
- More time riding, less time wrenching
- · Produced in collaboration with powertrain and clutch engineers to ensure a perfect fit, maximum performance and ultimate durability

#### **BATTERIES**

To ensure a battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a suitable battery charger. Consult your dealer to ensure the charger is compatible with your vehicle

#### **OIL FILTERS**

Change oil filters with every oil change to provide the best engine protection and keep the engine operating at peak performance

FOLLOW RECOMMENDED SERVICE INTERVALS IN THE OWNER'S MANUAL

### MAINTENANCE SCHEDULE

25 HRS / 400 km

#### **BREAK-IN MAINTENANCE**

ENGINE OIL: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> AIR FILTER: INSPECT & REPLACE AS NEEDED

### EXHAUST SYSTEM:

INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN
TYPE SPARK ARRESTOR 50 HRS / 800 km

## **MONTHS**

#### **EXHAUST SYSTEM: INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

**GENERAL** LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

#### DRIVE BELT: INSPECT & ADJUST

REPLACE AS NEEDED

## 100 HRS / 1600 km

## MONTHS

ENGINE OIL: CHANGE

#### DRIVE BELT: INSPECT & ADJUST

REPLACE AS NEEDED

TRANSMISSION FI LITD: CHANGE

**AIR FILTER:** INSPECT & REPLACE AS NEEDED

#### **EXHAUST SYSTEM: INSPECT & CLEAN**

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

## 150 HRS / 2400 km

MONTHS

ENGINE OIL:

CHANGE BATTERY:

TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

#### DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

TIRES: INSPECT CONDITION & PRESSURE

#### **EXHAUST SYSTEM:** INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

## MONTHS

200 HRS / 3200 km

ENGINE OIL: CHANGE

#### BRAKE PADS & FLUID: **INSPECT & CLEAN** REPLACE BRAKE FLUID REPLACE AS NEEDED

#### SPARK PLUGS: INSPECT REPLACE AS NEEDED

AIR FILTER: INSPECT & REPLACE AS NEEDED

#### **EXHAUST SYSTEM: INSPECT & CLEAN**

INSPECT FOR LEAKAGE OF CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

## 250 HRS / 4023 km MONTHS

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

**ENGINE OIL:** 

CHANGE

#### DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

#### **EXHAUST SYSTEM:** INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN
TYPE SPARK ARRESTOR

## 300 HRS / 4828 km

MONTHS ENGINE OIL: CHANGE

AIR FILTER: INSPECT & REPLACE AS NEEDED

#### GEARCASE S TRANSMISSION: REPLACE FLUIDS

## EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

OWNER'S MANUAL FOR ADDITIONAL RECOMMENDED SERVICE ITEMS AND VEHICLE-**SPECIFIC TIMING** 





## SPECIFIC NEEDS, SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment is making sure its lubricants-critical to engine performanceare the right formula for your specific engine. The amount of testing data and engineering resources used in developing Polaris lubricants would overwhelm an aftermarket company. Therefore, the aftermarket must spec an oil to an industry-wide standard that must account for a variety of operating parameters.

PS-4 is designed specifically for Polaris 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.

#### PS-4 FULL-SYNTHETIC OIL

PS-4 is optimal for ambient operating temperatures of -40° C to 38° C

1L-2877263 4L·2877264

25 L • 2877868

60 L • 502338

200 L • 2878003

- $\boldsymbol{\cdot}$  Contains the correct amount of oil for your

#### PS-4 EXTREME-DUTY FULL-SYNTHETIC OIL

• PS-4 Extreme Duty is optimal for ambient operating temperatures of -18° C to 53° C

1L · 2879037 4L • 2879251

251 • 2879252

60 L • 2879003 200 L • 2879038

#### PS-4 OIL CHANGE KIT

- vehicle and correct oil filter
- » 2202166 SINGLE 570 TWIN 600 TWIN 700 TWIN 800
- » 2879323
- » 2880913 POLARIS ACE/ETX 325
- » 2877473 330500 SPORTSMAN 550/850/1000

### P&LARIS ENGINEERED PARTS & LUBRICANTS

#### FOR THE LIFE OF YOUR RIDE ONLY THE BEST WILL DO

To create the best oil for any terrain, we invest in rigorous testing to ensure our oil delivers the consistency and performance you demand. The results are Polaris Engineered Lubricants that are tested and perfected to deliver excellent total engine protection for the life of your ride.

#### WHAT COUNTS IN OIL TESTING:

- 1. Does it protect the engine at high temperatures? 2. Does it keep the engine free from carbon and buildup?
- 3. Does the oil hold its viscosity over time?

#### **ENGINE CHECKPOINTS**

When evaluating an engine oil and its ability to protect and preserve the engine's power output and lifespan, Polaris engineers focus on key areas within the engine, some of the most critical ones include:

RING LANDS: Poor exidative performance can lead to carbon and varnish buildup, which results in poor ring seal and loss of nower, combustion blow by and fuel dilution of the oil.

PISTON RINGS: During the combustion process, extreme pressures are placed on the top ring, forcing it outward toward the cylinder wall, sealing the combustion chamber. With so much force applied, poor oil film strength between the top ring and the cylinder wall can lead to cylinder wear and loss of power.

ROD BEARINGS: Engine bearings ride on an extremely thin hydrodynamic film of oil. Poor oil film strength or using an oil with a thinner viscosity, can lead to premature bearing wear or even engine failure. Using an oil with high film strength and a strong viscosity, like PS-4 full synthetic, will extend the service life of your engine.

CAMSHAFT: Direct Acting Overhead Camshafts are used on many Polaris Prostar Engines. In this application the camshaft pushes directly on the valve, creating very high contact pressures compared to other camshaft configurations. These forces are so great that inferior oil can break down and be forced out of the contact area leading to increased wear. PS-4 full synthetic additives are specifically designed to provide wear protection against this.

#### OIL DEVELOPMENT



**FOCUSED ON** POLARIS OIL

DEVELOPMENT & TESTING



64.374 **KILOMETERS** 

DYNO **TESTING** 

FIELD **TESTING** 

### **ENGINEERED TO MAXIMIZE** THE LIFE OF YOUR RIDE

All Polaris fluids—from anti-freeze to brake fluid—are developed for your vehicle. Trust the only fluids perfectly engineered for your needs.



#### **DOT 4 BRAKE FLUID**

Polaris DOT 4 Brake Fluid is a high-quality brake fluid designed for use in Polaris hydraulic brakes. Superior high-temp characteristics plus anti-corrosive additives extend the life of brake system components and provide onsistent, positive braking,

» 250 mL • 502081

#### ANTI-FREEZE

Polaris Extended Life Coolant contains organic acid technologies to prevent corrosion on metal components, eliminate scaling, and maximize cooling system

- » 1 L 502103
- » 25 L 502271
- » 206 L 50209

A proprietary blend of additives designed to optimize Polaris° ORV transmission life. Extreme pressure additives protect gears, drive chain, and bearings from scoring and wear. Unlike typical gear case oils, AGL's unique viscosity range allows instant flow and film protection in extreme cold or high heat environr

- » 1 L 502080
- » 200 L 502151
- » 25 L 502152

#### **DEMAND DRIVE FLUID**

Engineered specifically for Polaris ORV front drive systems. Provides positive 4WD engagement in extreme cold or high heat conditions. Unique friction additives protect internal components under heavy loads and

- » 11 502094
- 200 L 502264

Proper lubricant application and timing will ensure optimal vehicle performance. Please refer to your owner's manual for lubricant change interval schedules.



#### CARBON CLEAN

## FUEL STABILIZER

2 years. Dualprotects against gun

125 mL • 502100



### ANGLE DRIVE

25 L • 502268 202 L • 502266 SPORTSMAN, RANGER, RZR ANGLE DRIVE GEAR CASE SYSTEMS



PREMIUM GAS SHOCK OIL

1L·502098



ALL-SEASON GREASE TUBE

» 400 a • 502068

## SERVICEPARTS

Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximize the life of your ride. Getting Polaris Engineered parts is a decision that pays off in the long run, because it ensures there is a long run.



VISIT YOUR POLARIS DEALER TO SHOP FOR SERVICE PARTS.



# FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



# POLARIS ENGINEERED DRIVE BELTS

### TESTED, PERFECTED

We test each belt on the intended vehicle – we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris CVT System Engineer

#### **OUR INVESTMENT**

- 32,187 km of field testing
- · Thousands of dyno hours
- 18+ months of development (3,000+ design hours) per belt
- · 1200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

#### YOUR ADVANTAGE

- No clutch recalibration
- · Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- More time out riding, less time wrenching

OUR INVESTMENTS ENSURE POLARIS BELTS



EXTENDED LIFE

EAVY LUTY PARTS

All Polaris parts are developed and tested to help you get the most out of your ride. Now, we're taking the passion of our riders, workers, and outdoor enthusiasts to the next level with HD Parts.

Engineered & designed for:

- · Greater durability
- · Enhanced performance
- Greater wear & tear capabilities
- · All weather conditions





SAND



NEW



EXTREME

EXTREME HEAT UP TO 54° C






### NEW

#### WHEELS & TIRES

Class leading durability for off-road performance and traction for confident

- » 1524022-458 HD WHEEL 14x7 (SHOWN)
- » 5417507 PRO ARMOR HD-K 29x10R14 (SHOW
- » 5457498-458 HD WHEEL CENTER CAP (SHOWN) » 5415756 • PRO ARMOR XD-K FRONT
- » 5415757 PRO ARMOR XD-K REAR



\*Claims made based off testing and performance of Polaris HD Parts against standard OEM parts made by Polaris and competitor brands under normal use. For more information regarding Polaris HD parts including vehicle compatibility, installation, and maintenance, please contact your authorized Polaris ORV dealer.

## CV BOOT REPAIR KIT

- · A quick trail side fix to increase trail time
- The flexible and durable boot material expands over a cone tool for CV boot repairs, without disassembling CV axles
- · Universal fit works as a temporary fix for most powersports axles
- · All components fit inside the cone, and a cover is provided for compact durable storage
- · Easily fits in a cargo box, attached to the roll cage, in the glovebox, or many other storage locations



#### UTV CV BOOT REPAIR KIT

Kit includes the following items:

FIX ON THE GO | TEMPORARY COVERAGE

- (1) Expandable XL CV Boot
- (1) Reusable Cone Tool
- (2) CV Boot Clamps
- (1) Tube of Silicone Lube
- (1) Grease Packet
- (1) Cone Cover » 2830526


#### **UTV TRAIL BOOT ONLY**


» 2830527


#### ATV


- » CV REPAIR KIT 2830528
- » TRAIL BOOT ONLY

**HOW TO INSTALL** 










Spread silicone lube on entire

cone tool. Slide boot over cone

tool, large end first. See package



& install clamns



Empty the bag of grease into the Reassemble tie rod, ball joints, brake CV joint/boot, clean sealing points caliper, axle nut, tire 6 wheel.

Remove wheel and axle nut

Refer to your service manual for further instructions and torque specifications. \*Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair

**KEEP IT CLEAN** 

Remove brake caliper, hub, tie rod, Remove old boot & clean joint.

#### CLEAN I

#### **ALL-PURPOSE CLEANER**

- · Professional cleaner, which is formulated with a low pH-value. The product spreads well on surfaces and adheres on them for effective cleaning action. Perfectly compatible with rubber, plastic and painted surfaces. The formulation is biodegradable
- » 500 mL 502309

#### SHINE

#### **INSTANT SHINE & DETAILER**

- The INSTANT SHINE AND DETAILER is developed for cleaning action without water. Removes insects, dust and dirt with almost no effort. Applicable for plastics, visors, windscreens, paint and metal. The wipe and shine formulation makes surfaces shine, works water repellent and also has an antistatic effect. Perfect for customers living in urban areas with no access to water, for bike trips or showroom bikes.
- » 500 mL 502303



### **TRAILERING**




#### CALIBER RAMP PRO

- Designed for ATVs and UTVs up to
- · Integrated grip glides for ultimate traction
- & storing
- » 132 cm × 229 cm 2884576

#### ALUMINUM ARCHED LOADING RAMPS

- » 193 cm × 30.5 cm 907 kg 2875384
- » 224 cm × 30.5 cm 1361 kg 2875386




#### LIGHTWEIGHT TRI-FOLD RAMPS

- · Ramp folds up for transport
  - · Capacity for up to 680.7 kg
  - · Safety straps included

STRAPS & ROPES

- » 183 cm × 130 cm 2875385
- » 208 cm × 130 cm 2875860



#### FOLDING ALUMINUM ARCHED RAMPS

- Ramp folds up for transport
- · Capacity up to 1361 kg
- · Safety straps included
- » 224 cm × 30.5 cm 2875387

#### **HITCHES**

#### 3:1 HITCHES VERSATILE 3 IN 1 FUNCTIONALITY



- · Ball, pin and hook design
- black powdercoated finish
- Durable, rust resistant steel with



- HITCH WITH 5 cm BALL
- » 5 cm x 5 cm RECEIVER 2830522
- » 3 cm x 3 cm RECEIVER 2830523

RECEIVER

» 5 cm RECEIVER TONGUE

HITCH

2878846



4.8 cm BALL


Removable ball

• HD 1.6 cm pin and clip

- · 4.8 cm replacement ball for hitch
- · Designed to work with 3:1 Hitch
- » 2830524



- 2875320 » FRONT HITCH RECEIVER



- » 4.8 cm BALL 2877602



### TRAILER BALL

- » 5 cm BALL 2877603



#### RATCHET STRAP

- 5 cm x 6.1 m Ratchet Straps
- Heavy duty webbing, floating D-rings double J-hooks
- 4536 kg maximum load
- » 2884032



#### RECOVERY STRAP

- 5 cm x 9.1 m (8165 kg)
- · Comes with carry bag
- » 2884033

#### Heavy duty webbing 2495 kg maximum load, 831 kg working load

3.8 cm x 4.6 m straps, 2 Paci

» 2884031



#### SHOCK STRAPS

- · 3.8 cm 1361 kg breaking strength
  - Keeps tension on tie-down straps to secure load, 2 Pack
  - » 3.8 cm x 4.6 m 2883296
  - » 3.8 cm x 2.1 m 2883295

#### **COVERS**



#### TRAILERABLE COVER BY POLARIS

» 2-SEAT • 2881841 POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21

» 4-SEAT • 2881787 POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21



#### POLARIS SxS CAMO FIELD COVER

POLARIS GENERAL XP 1000/4 '20-21

# ADVENTURE ADVENTURE



INTEREST-FREE FINANCE\*
Included on all new Sportsman, Ranger, RZR,
General and Scrambler models†.

QUICK AND SIMPLE OFF-ROAD SECURITY ATVTrac is included with all our vehicles\*†, alongside a free 12 months subscription. Simply complete the online registration process and you'll be protected within minutes.





VISIT

**PCLARIS** 

POLARISBRITAIN.COM FOR MORE INFO